

Regular Sensing

Shaull Almagor¹, Denis Kuperberg², and Orna Kupferman¹

1 The Hebrew University, Israel.

2 The University of Warsaw, Poland.

Abstract

The size of deterministic automata required for recognizing regular and ω -regular languages is a well-studied measure for the complexity of languages. We introduce and study a new complexity measure, based on the *sensing* required for recognizing the language. Intuitively, the sensing cost quantifies the detail in which a random input word has to be read in order to decide its membership in the language. We show that for finite words, size and sensing are related, and minimal sensing is attained by minimal automata. Thus, a unique minimal-sensing deterministic automaton exists, and is based on the language's right-congruence relation. For infinite words, the minimal sensing may be attained only by an infinite sequence of automata. We show that the optimal limit cost of such sequences can be characterized by the language's right-congruence relation, which enables us to find the sensing cost of ω -regular languages in polynomial time.

1998 ACM Subject Classification F.4.3 : Formal Languages, B.8.2 Performance Analysis and Design Aids, F.1.1 Models of Computation

Keywords and phrases Automata, regular languages, ω -regular languages, complexity, sensing, minimization.

1 Introduction

Studying the complexity of a formal language, there are several complexity measures to consider. When the language is given by means of a Turing Machine, the traditional measures are time and space demands. Theoretical interest as well as practical considerations have motivated additional measures, such as randomness (the number of random bits required for the execution) [10] or communication complexity (number and length of messages required) [9]. For regular and ω -regular languages, given by means of finite-state automata, the classical complexity measure is the size of a minimal deterministic automaton that recognizes the language.

We introduce and study a new complexity measure, namely the *sensing cost* of the language. Intuitively, the sensing cost of a language measures the detail with which a random input word needs to be read in order to decide membership in the language. Sensing has been studied in several other CS contexts. In theoretical CS, in methodologies such as PCP and property testing, we are allowed to sample or query only part of the input [7]. In more practical applications, mathematical tools in signal processing are used to reconstruct information based on compressed sensing [5], and in the context of data streaming, one cannot store in memory the entire input, and therefore has to approximate its properties according to partial “sketches” [11].

Our interest in regular sensing is motivated by the use of finite-state automata (as well as monitors, controllers, and transducers) in reasoning about on-going behaviors of reactive systems. In particular, a big challenge in the design of monitors is an optimization of the sensing needed for deciding the correctness of observed behaviors. Our goal is to formalize regular sensing in the finite-state setting and to study the sensing complexity measure for regular and ω -regular languages.



© Shaull Almagor, Denis Kuperberg, and Orna Kupferman;
licensed under Creative Commons License CC-BY

Leibniz International Proceedings in Informatics

LIPIC Schloss Dagstuhl – Leibniz-Zentrum für Informatik, Dagstuhl Publishing, Germany

A natural setting in which sensing arises is *synthesis*: given a specification over sets I and O of input and output signals, the goal is to construct a finite-state system that, given a sequence of input signals, generates a computation that satisfies the specification. In each moment in time, the system reads an assignment to the input signals, namely a letter in 2^I , which requires the activation of $|I|$ Boolean sensors. A well-studied special case of limited sensing is synthesis with *incomplete information*. There, the system can read only a subset of the signals in I , and should still generate only computations that satisfy the specification [8, 3]. A more sophisticated case of sensing in the context of synthesis is studied in [4], where the system can read some of the input signals some of the time. In more detail, sensing the truth value of an input signal has a cost, the system has a budget for sensing, and it tries to realize the specification while minimizing the required sensing budget.

We study the fundamental questions on regular sensing. We consider languages over alphabets of the form 2^P , for a finite set P of signals. Consider a deterministic automaton \mathcal{A} over an alphabet 2^P . For a state q of \mathcal{A} , we say that a signal $p \in P$ is *sensed* in q if at least one transition taken from q depends on the truth value of p . The *sensing cost* of q is the number of signals it senses, and the sensing cost of a run is the average sensing cost of states visited along the run. We extend the definition to automata by assuming a uniform distribution of the inputs.¹ Thus, the sensing cost of \mathcal{A} is the limit of the expected sensing of runs over words of increasing length.² We show that this definition coincides with one that is based on the stationary distribution of the Markov chain induced by \mathcal{A} , which enables us to calculate the sensing cost of an automaton in polynomial time. The sensing cost of a language L , of either finite or infinite words, is then the infimum of the sensing costs of deterministic automata for L . In the case of infinite words, one can study different classes of automata, yet we show that the sensing cost is independent of the acceptance condition being used.

We start by studying the sensing cost of regular languages of finite words. For the complexity measure of size, the picture in the setting of finite words is very clean: each language L has a unique minimal deterministic automaton (DFA), namely the *residual automaton* \mathcal{R}_L whose states correspond to the equivalence classes of the Myhill-Nerode right-congruence relation for L . We show that minimizing the state space of a DFA can only reduce its sensing cost. Hence, the clean picture of the size measure is carried over to the sensing measure: the sensing cost of a language L is attained in the DFA \mathcal{R}_L . In particular, since DFAs can be minimized in polynomial time, we can construct in polynomial time a minimally-sensing DFA, and can compute in polynomial time the sensing cost of languages given by DFAs.

We then study the sensing cost of ω -regular languages, given by means of deterministic parity automata (DPAs). Recall the size complexity measure. There, the picture for languages of infinite words is not clean: A language needs not have a unique minimal DPA, and the problem of finding one is NP-complete [13]. It turns out that the situation is challenging also in the sensing measure. First, we show that different minimal DPAs for a language may

¹ Our study and results apply also to a non-uniform distribution on the letters, given by a Markov chain (see Remark 19).

² Alternatively, one could define the sensing cost of \mathcal{A} as the cost of its “most sensing” run. Such a worst-case approach is taken in [4], where the sensing cost needs to be kept under a certain budget in all computations, rather than in expectation. We find the average-case approach we follow appropriate for sensing, as the cost of operating sensors may well be amortized over different runs of the system, and requiring the budget to be kept under a threshold in every run may be too restrictive. Thus, the automaton must answer correctly for every word, but the sensing should be low only on average, and it is allowed to operate an expensive sensor now and then.

have different sensing costs. In fact, bigger DPAs may have smaller sensing costs.

Before describing our results, let us describe a motivating example that demonstrates the intricacy in the case of ω -regular languages. Consider a component in a vacuum-cleaning robot that monitors the dust collector and checks that it is empty infinitely often. The proposition *empty* indicates whether the collector is empty and a sensor needs to be activated in order to know its truth value. One implementation of the component would sense *empty* throughout the computation. This corresponds to the classical two-state DPA for “infinitely often *empty*”. A different implementation can give up the sensing of *empty* for some fixed number k of states, then wait for *empty* to hold, and so forth. The bigger k is, the lazier is the sensing and the smaller the sensing cost is. As the example demonstrates, there may be a trade-off between the sensing cost of an implementation and its size. Other considerations, like a preference to have eventualities satisfied as soon as possible, enter the picture too.

Our main result is that despite the above intricacy, the sensing cost of an ω -regular language L is the sensing cost of the residual automaton \mathcal{R}_L for L . It follows that the sensing cost of an ω -regular language can be computed in polynomial time. Unlike the case of finite words, it may not be possible to define L on top of \mathcal{R}_L . Interestingly, however, \mathcal{R}_L does capture exactly the sensing required for recognizing L . The proof of this property of \mathcal{R}_L is the main technical challenge of our contribution. The proof goes via a sequence $(\mathcal{B}_n)_{n=1}^{\infty}$ of DPAs whose sensing costs converge to that of L . The DPA \mathcal{B}_n is obtained from a DPA \mathcal{A} for L by a lazy sensing strategy that spends time in n copies of \mathcal{R}_L between visits to \mathcal{A} , but spends enough time in \mathcal{A} to ensure that the language is L . It is worth noting that this result is far from being intuitive. Indeed, first, as mentioned above, the extra expressive power that is added to the setting by the acceptance condition of DPAs makes the residual automaton irrelevant in the context of size minimization. Moreover, in the context of sensing, there need not be a single DPA that attains the minimal sensing cost. It is thus surprising that \mathcal{R}_L , which has no acceptance condition, captures the sensing cost of all DPAs. We believe that this reflects a general property of deterministic parity automata that could be useful outside of the scope of sensing. Intuitively, it means that we can “lose track” of the run of a deterministic automaton for arbitrary long periods, just keeping the residual in memory, and still be able to recognize the wanted language.

Due to lack of space, some proofs appear in the appendix.

2 Preliminaries

Automata A *deterministic automaton on finite words* (DFA, for short) is $\mathcal{A} = \langle \Sigma, Q, q_0, \delta, \alpha \rangle$, where Q is a finite set of states, $q_0 \in Q$ is an initial state, $\delta : Q \times \Sigma \rightarrow Q$ is a total transition function, and $\alpha \subseteq Q$ is a set of accepting states. We sometimes refer to δ as a relation $\Delta \subseteq Q \times \Sigma \times Q$, with $\langle q, \sigma, q' \rangle \in \Delta$ iff $\delta(q, \sigma) = q'$. The run of \mathcal{A} on a word $w = \sigma_1 \cdot \sigma_2 \cdots \sigma_m \in \Sigma^*$ is the sequence of states q_0, q_1, \dots, q_m such that $q_{i+1} = \delta(q_i, \sigma_{i+1})$ for all $i \geq 0$. The run is accepting if $q_m \in \alpha$. A word $w \in \Sigma^*$ is accepted by \mathcal{A} if the run of \mathcal{A} on w is accepting. The language of \mathcal{A} , denoted $L(\mathcal{A})$, is the set of words that \mathcal{A} accepts. For a state $q \in Q$, we use \mathcal{A}^q to denote \mathcal{A} with initial state q . We sometimes refer also to nondeterministic automata (NFAs), where $\delta : Q \times \Sigma \rightarrow 2^Q$ suggests several possible successor states. Thus, an NFA may have several runs on an input word w , and it accepts w if at least one of them is accepting.

Consider a language $L \subseteq \Sigma^*$. For two finite words u_1 and u_2 , we say that u_1 and u_2 are *right L -indistinguishable*, denoted $u_1 \sim_L u_2$, if for every $z \in \Sigma^*$, we have that $u_1 \cdot z \in L$ iff $u_2 \cdot z \in L$. Thus, \sim_L is the Myhill-Nerode right congruence used for minimizing automata. For $u \in \Sigma^*$, let $[u]$ denote the equivalence class of u in \sim_L and let $\langle L \rangle$ denote the set

of all equivalence classes. Each class $[u] \in \langle L \rangle$ is associated with the *residual language* $u^{-1}L = \{w : uw \in L\}$. When L is regular, the set $\langle L \rangle$ is finite, and induces the *residual automaton* of L , defined by $\mathcal{R}_L = \langle \Sigma, \langle L \rangle, \Delta_L, [\epsilon], \alpha \rangle$, with $\langle [u], a, [u \cdot a] \rangle \in \Delta_L$ for all $[u] \in \langle L \rangle$ and $a \in \Sigma$. Also, α contains all classes $[u]$ with $u \in L$. The DFA \mathcal{R}_L is well defined and is the unique minimal DFA for L .

A *deterministic automaton on infinite words* is $\mathcal{A} = \langle \Sigma, Q, q_0, \delta, \alpha \rangle$, where Q, q_0 , and δ are as in DFA, and α is an acceptance condition. The run of \mathcal{A} on an infinite input word $w = \sigma_1 \cdot \sigma_2 \cdots \in \Sigma^\omega$ is defined as for automata on finite words, except that the sequence of visited states is now infinite. For a run $r = q_0, q_1, \dots$, let $\text{inf}(r)$ denote the set of states that r visits infinitely often. Formally, $\text{inf}(r) = \{q : q = q_i \text{ for infinitely many } i\}$. We consider the following acceptance conditions. In a *Büchi* automaton, the acceptance condition is a set $\alpha \subseteq Q$ and a run r is accepting iff $\text{inf}(r) \cap \alpha \neq \emptyset$. Dually, in a *co-Büchi*, again $\alpha \subseteq Q$, but r is accepting iff $\text{inf}(r) \cap \alpha = \emptyset$. Finally, parity condition is a mapping $\alpha : Q \rightarrow [i, \dots, j]$, for integers $i \leq j$, and a run r is accepting iff $\max_{q \in \text{inf}(r)} \{\alpha(q)\}$ is even.

We extend the right congruence \sim_L as well as the definition of the residual automaton \mathcal{R}_L to languages $L \subseteq \Sigma^\omega$. Here, however, \mathcal{R}_L need not accept the language of L , and we ignore its acceptance condition.

Sensing We study languages over an alphabet $\Sigma = 2^P$, for a finite set P of signals. A letter $\sigma \in \Sigma$ corresponds to a truth assignment to the signals. When we define languages over Σ , we use predicates on P in order to denote sets of letters. For example, if $P = \{a, b, c\}$, then the expression $(\text{True})^* \cdot a \cdot b \cdot (\text{True})^*$ describes all words over 2^P that contain a subword $\sigma_a \cdot \sigma_b$ with $\sigma_a \in \{\{a\}, \{a, b\}, \{a, c\}, \{a, b, c\}\}$ and $\sigma_b \in \{\{b\}, \{a, b\}, \{b, c\}, \{a, b, c\}\}$.

Consider an automaton $\mathcal{A} = \langle 2^P, Q, q_0, \delta, \alpha \rangle$. For a state $q \in Q$ and a signal $p \in P$, we say that p is *sensed in* q if there exists a set $S \subseteq P$ such that $\delta(q, S \setminus \{p\}) \neq \delta(q, S \cup \{p\})$. Intuitively, a signal is sensed in q if knowing its value may affect the destination of at least one transition from q . We use $\text{sensed}(q)$ to denote the set of signals sensed in q . The *sensing cost* of a state $q \in Q$ is $\text{scost}(q) = |\text{sensed}(q)|$.³

Consider a deterministic automaton \mathcal{A} over $\Sigma = 2^P$ (and over finite or infinite words). For a finite run $r = q_1, \dots, q_m$ of \mathcal{A} , we define the sensing cost of r , denoted $\text{scost}(r)$, as $\frac{1}{m} \sum_{i=0}^{m-1} \text{scost}(q_i)$. That is, $\text{scost}(r)$ is the average number of sensors that \mathcal{A} uses during r . Now, for a finite word w , we define the sensing cost of w in \mathcal{A} , denoted $\text{scost}_{\mathcal{A}}(w)$, as the sensing cost of the run of \mathcal{A} on w . Finally, the sensing cost of \mathcal{A} is the expected sensing cost of words of length that tends to infinity, where we assume that the letters in Σ are uniformly distributed. Thus, $\text{scost}(\mathcal{A}) = \lim_{m \rightarrow \infty} |\Sigma|^{-m} \sum_{w:|w|=m} \text{scost}_{\mathcal{A}}(w)$. Note that the definition applies to automata on both finite and infinite words.

Two DFAs may recognize the same language and have different sensing costs. In fact, as we demonstrate in Example 1 below, in the case of infinite words two different minimal automata for the same language may have different sensing costs.

For a language L of finite or infinite words, the sensing cost of L , denoted $\text{scost}(L)$ is the minimal sensing cost required for recognizing L by a deterministic automaton. Thus, $\text{scost}(L) = \inf_{\mathcal{A}:L(\mathcal{A})=L} \text{scost}(\mathcal{A})$. For the case of infinite words, we allow \mathcal{A} to be a deterministic automaton of any type. In fact, as we shall see, unlike the case of succinctness, the sensing cost is independent of the acceptance condition used.

³ We note that, alternatively, one could define the *sensing level* of states, with $\text{slevel}(q) = \frac{|\text{sensed}(q)|}{|P|}$. Then, for all states q , we have that $\text{slevel}(q) \in [0, 1]$. All our results hold also for this definition, simply by dividing the sensing cost by $|P|$.

► **Example 1.** Let $P = \{a\}$. Consider the language $L \subseteq (2^{\{a\}})^\omega$ of all words with infinitely many a and infinitely many $\neg a$. In the following figure we present two minimal DBAs for L with different sensing costs.



While all the states of the second automaton sense a , thus its sensing cost is 1, the signal a is not sensed in all the states of the first automaton, thus its sensing cost is strictly smaller than 1 (to be precise, it is $\frac{4}{5}$, as we shall see in Example 7).

► **Remark 2.** Our study of sensing considers deterministic automata. The notion of sensing is less natural in the nondeterministic setting. From a conceptual point of view, we want to capture the number of sensors required for an actual implementation for recognizing the language. Technically, guesses can reduce the number of required sensors. To see this, take $P = \{a\}$ and consider the language $L = \text{True}^* \cdot a$. A DFA for L needs two states, both sensing a . An NFA for L can guess the position of the letter before the last one, where it moves to the only state that senses a . The sensing cost of such an NFA is 0 (for any reasonable extension of the definition of cost on NFAs). ◀

Probability Consider a directed graph $G = \langle V, E \rangle$. A *strongly connected component* (SCC) of G is a maximal (with respect to containment) set $C \subseteq V$ such that for all $x, y \in C$, there is a path from x to y . An SCC (or state) is *ergodic* if no other SCC is reachable from it, and is *transient* otherwise.

An automaton $\mathcal{A} = \langle \Sigma, Q, q_0, \delta, \alpha \rangle$ induces a directed graph $G_{\mathcal{A}} = \langle Q, E \rangle$ in which $\langle q, q' \rangle \in E$ iff there is a letter σ such that $q' \in \delta(q, \sigma)$. When we talk about the SCCs of \mathcal{A} , we refer to those of $G_{\mathcal{A}}$. Recall that we assume that the letters in Σ are uniformly distributed, thus \mathcal{A} also corresponds to a Markov chain $M_{\mathcal{A}}$ in which the probability of a transition from state q to state q' is $p_{q,q'} = \frac{1}{|\Sigma|} |\{\sigma \in \Sigma : \delta(q, \sigma) = q'\}|$. Let \mathcal{C} be the set of \mathcal{A} 's SCC, and $\mathcal{C}_e \subseteq \mathcal{C}$ be the set of its ergodic SCC's.

Consider an ergodic SCC $C \in \mathcal{C}_e$. Let P_C be the matrix describing the probability of transitions in C . Thus, the rows and columns of P_C are associated with states, and the value in coordinate q, q' is $p_{q,q'}$. By [6], there is a unique probability vector $\pi_C \in [0, 1]^C$ such that $\pi_C P_C = \pi_C$. This vector describes the *stationary distribution* of C : for all $q \in C$ it holds that $\pi_C(q) = \lim_{m \rightarrow \infty} \frac{E_m^C(q)}{m}$, where $E_m^C(q)$ is the average number of occurrences of q in a run of $M_{\mathcal{A}}$ of length m that starts anywhere in C [6]. Thus, intuitively, $\pi_C(q)$ is the probability that a long run that starts in C ends in q . In order to extend the distribution to the entire Markov chain of \mathcal{A} , we have to take into account the probability of reaching each of the ergodic components. The *SCC-reachability distribution* of \mathcal{A} is the function $\rho : \mathcal{C} \rightarrow [0, 1]$ that maps each ergodic SCC C of \mathcal{A} to the probability that $M_{\mathcal{A}}$ eventually reaches C , starting from the initial state. We can now define the *limiting distribution* $\pi : Q \rightarrow [0, 1]$, as

$$\pi(q) = \begin{cases} 0 & \text{if } q \text{ is transient,} \\ \pi_C(q)\rho(C) & \text{if } q \text{ is in some } C \in \mathcal{C}_e. \end{cases}$$

Note that $\sum_{q \in Q} \pi(q) = 1$, and that if P is the matrix describing the transitions of $M_{\mathcal{A}}$ and π is viewed as a vector in $[0, 1]^Q$, then $\pi P = \pi$. Intuitively, the limiting distribution of state q describes the probability of a run on a random and long input word to end in q . Formally, we have the following lemma, whose proof appears in Appendix A.1.

► **Lemma 3.** Let $E_m(q)$ be the expected number of occurrences of a state q in a run of length m of M_A that starts in q_0 . Then, $\pi(q) = \lim_{m \rightarrow \infty} \frac{E_m(q)}{m}$.

Computing The Sensing Cost of an Automaton Consider a deterministic automaton $\mathcal{A} = \langle 2^P, Q, \delta, q_0, \alpha \rangle$. The definition of $\text{scost}(\mathcal{A})$ by means of the expected sensing cost of words of length that tends to infinity does not suggest an algorithm for computing it. In this section we show that the definition coincides with a definition that sums the costs of the states in \mathcal{A} , weighted according to the limiting distribution, and show that this implies a polynomial-time algorithm for computing $\text{scost}(\mathcal{A})$. This also shows that the cost is well-defined for all automata.

► **Theorem 4.** For all automata \mathcal{A} , we have $\text{scost}(\mathcal{A}) = \sum_{q \in Q} \pi(q) \cdot \text{scost}(q)$, where π is the limiting distribution of \mathcal{A} .

► **Remark 5.** It is not hard to see that if \mathcal{A} is strongly connected, then π is the unique stationary distribution of M_A and is independent of the initial state of \mathcal{A} . Accordingly, $\text{scost}(\mathcal{A})$ is also independent of \mathcal{A} 's initial state in this special case. ◀

► **Theorem 6.** Given an automaton \mathcal{A} , the sensing cost $\text{scost}(\mathcal{A})$ can be calculated in polynomial time.

Proof. By Theorem 4, we have that $\text{scost}(\mathcal{A}) = \sum_{q \in Q} \pi(q) \cdot \text{scost}(q)$, where π is the limiting distribution of \mathcal{A} . By the definition of π , we have that $\pi(q) = \pi_C(q)\rho(C)$, if q is in some $C \in \mathcal{C}_e$. Otherwise, $\pi(q) = 0$. Hence, the computational bottleneck is the calculation of the SCC-reachability distribution $\rho : C \rightarrow [0, 1]$ and the stationary distributions π_C for every $C \in \mathcal{C}_e$. It is well known that both can be computed in polynomial time via classic algorithms on matrices. For completeness, we give the details in Appendix A.3. ◀ ◀

► **Example 7.** Recall the first DBA described in Example 1. Its limiting distribution is $\pi(q_0) = \pi(q_1) = \frac{2}{5}$, $\pi(q_2) = \frac{1}{5}$. Accordingly, its cost is $1 \cdot \frac{2}{5} + 1 \cdot \frac{2}{5} + 0 \cdot \frac{1}{5} = \frac{4}{5}$.

Additional examples can be found in Appendix A.4.

3 The Sensing Cost of Regular Languages of Finite Words

In this section we study the setting of finite words. We show that there, sensing minimization goes with size minimization, which makes things clean and simple, as size minimization for DFAs is a feasible and well-studied problem. We also study theoretical properties of sensing. We show that, surprisingly, abstraction of signals may actually increase the sensing cost of a language, and we study the effect of classical operations on regular languages on their sensing cost. These last two contributions can be found in Appendices A.9 and A.10).

Consider a regular language $L \subseteq \Sigma^*$, with $\Sigma = 2^P$. Recall that the residual automaton $\mathcal{R}_L = \langle \Sigma, \langle L \rangle, \Delta_L, [\epsilon], \alpha \rangle$ is the minimal-size DFA that recognizes L . We claim that \mathcal{R}_L also minimizes the sensing cost of L .

► **Lemma 8.** Consider a regular language $L \subseteq \Sigma^*$. For every DFA \mathcal{A} with $L(\mathcal{A}) = L$, we have that $\text{scost}(\mathcal{A}) \geq \text{scost}(\mathcal{R}_L)$.

Proof. Consider a word $u \in \Sigma^*$. After reading u , the DFA \mathcal{R}_L reaches the state $[u]$ and the DFA \mathcal{A} reaches a state q with $L(\mathcal{A}^q) = u^{-1}L$. Indeed, otherwise we can point to a word with prefix u that is accepted only in one of the DFAs. We claim that for every state $q \in Q$ such that $L(\mathcal{A}^q) = u^{-1}L$, it holds that $\text{sensed}([u]) \subseteq \text{sensed}(q)$. To see this, consider a signal $p \in \text{sensed}([u])$. By definition, there exists a set $S \subseteq P$ and words u_1 and u_2 such

that $([u], S \setminus \{p\}, [u_1]) \in \Delta_L$, $([u], S \cup \{p\}, [u_2]) \in \Delta_L$, yet $[u_1] \neq [u_2]$. By the definition of \mathcal{R}_L , there exists $z \in (2^P)^*$ such that, w.l.o.g, $z \in u_1^{-1}L \setminus u_2^{-1}L$. Hence, as $L(\mathcal{A}^q) = u^{-1}L$, we have that \mathcal{A}^q accepts $(S \setminus \{p\}) \cdot z$ and rejects $(S \cup \{p\}) \cdot z$. Let $\delta_{\mathcal{A}}$ be the transition function of \mathcal{A} . By the above, $\delta_{\mathcal{A}}(q, S \setminus \{p\}) \neq \delta_{\mathcal{A}}(q, S \cup \{p\})$. Therefore, $p \in \text{sensed}(q)$, and we are done. Now, $\text{sensed}([u]) \subseteq \text{sensed}(q)$ implies that $\text{scost}(q) \geq \text{scost}([u])$.

Consider a word $w_1 \cdots w_m \in \Sigma^*$. Let $r = r_0, \dots, r_m$ and $[u_0], \dots, [u_m]$ be the runs of \mathcal{A} and \mathcal{R}_L on w , respectively. Note that for all $i \geq 0$, we have $u_i = w_1 \cdot w_2 \cdots w_i$. For all $i \geq 0$, we have that $L(\mathcal{A}^{r_i}) = u_i^{-1}L$, implying that then $\text{scost}(r_i) \geq \text{scost}([u_i])$. Hence, $\text{scost}_{\mathcal{A}}(w) \geq \text{scost}_{\mathcal{R}_L}(w)$. Since this holds for every word in Σ^* , it follows that $\text{scost}(\mathcal{A}) \geq \text{scost}(\mathcal{R}_L)$. ◀ ◀

Since $L(\mathcal{R}_L) = L$, then $\text{scost}(L) \leq \text{scost}(\mathcal{R}_L)$. This, together with Lemma 8, enables us to conclude the following.

► **Theorem 9.** *For every regular language $L \subseteq \Sigma^*$, we have $\text{scost}(L) = \text{scost}(\mathcal{R}_L)$.*


Finally, since DFAs can be size-minimized in polynomial time, Theorems 6 and 9 imply we can efficiently minimize also the sensing cost of a DFA and calculate the sensing cost of its language:

► **Theorem 10.** *Given a DFA \mathcal{A} , the problem of computing $\text{scost}(L(\mathcal{A}))$ can be solved in polynomial time.*

4 The Sensing Cost of ω -Regular Languages

For the case of finite words, we have a very clean picture: minimizing the state space of a DFA also minimizes its sensing cost. In this section we study the case of infinite words. There, the picture is much more complicated. In Example 1 we saw that different minimal DBAs may have a different sensing cost. We start this section by showing that even for languages that have a single minimal DBA, the sensing cost may not be attained by this minimal DBA, and in fact it may be attained only as a limit of a sequence of DBAs.

► **Example 11.** Let $P = \{p\}$, and consider the language L of all words $w_1 \cdot w_2 \cdots$ such that $w_i = \{p\}$ for infinitely many i 's. Thus, $L = (\text{True}^* \cdot p)^\omega$. A minimal DBA for L has two states. The minimal sensing cost for a two-state DBA for L is $\frac{2}{3}$ (the classical two-state DBA for L senses p in both states and thus has sensing cost 1. By taking \mathcal{A}_1 in the sequence we shall soon define we can recognize L by a two-state DBA with sensing cost $\frac{2}{3}$). Consider the sequence of DBAs \mathcal{A}_m appearing in Figure 1. The DBA \mathcal{A}_m recognizes $(\text{True}^{\geq m} \cdot p)^\omega$, which is equivalent to L , yet enables a "lazy" sensing of p . Formally, The stationary distribution π for \mathcal{A}_m is such that $\pi(q_i) = \frac{1}{m+1}$ for $0 \leq i \leq m-1$ and $\pi(q_m) = \frac{2}{m+1}$. In the states q_0, \dots, q_{m-1} the sensing cost is 0 and in q_m it is 1. Accordingly, $\text{scost}(\mathcal{A}_m) = \frac{2}{m+1}$, which tends to 0 as m tends to infinity.



■ **Figure 1** The DBA \mathcal{A}_m .

4.1 Characterizing $\text{scost}(L)$ by the residual automaton for L

In this section we state and prove our main result, which characterizes the sensing cost of an ω -regular language by means of the residual automaton for the language:

► **Theorem 12.** *For every ω -regular language $L \subseteq \Sigma^\omega$, we have $\text{scost}(L) = \text{scost}(\mathcal{R}_L)$.*

The proof is described over the following section. The first direction, showing that $\text{scost}(L) \geq \text{scost}(\mathcal{R}_L)$, is proved by similar considerations to those used in the proof of Lemma 8 for the setting of finite words, and can be found in Appendix A.5.

Our main effort is to prove that $\text{scost}(L) \leq \text{scost}(\mathcal{R}_L)$. To show this, we construct, given a DPA \mathcal{A} such that $L(\mathcal{A}) = L$, a sequence $(\mathcal{B}_n)_{n \geq 1}$ of DPAs such that $L(\mathcal{B}_n) = L$ for every $n \geq 1$, and $\lim_{n \rightarrow \infty} \text{scost}(\mathcal{B}_n) = \text{scost}(\mathcal{R}_L)$. We note that since the DPAs \mathcal{B}_n have the same acceptance condition as \mathcal{A} , there is no trade-off between sensing cost and acceptance condition. More precisely, if L can be recognized by a DPA with parity ranks $[i, j]$ (in particular, if L is DBW-recognizable), then the sensing cost for $L(\mathcal{A})$ can be obtained by a DPA with parity ranks $[i, j]$.

We first assume that \mathcal{A} is strongly connected. We will later show how to drop this assumption.

Let $\mathcal{A} = \langle \Sigma, Q, q_0, \Delta, \alpha_{\mathcal{A}} \rangle$ be a strongly connected DPA for L . We assume that \mathcal{A} is minimally ranked. Thus, if \mathcal{A} has parity ranks $\{0, 1, \dots, k\}$, then there is no DPA for L with ranks $\{0, 1, \dots, k-1\}$ or $\{1, 2, \dots, k\}$. Also, if \mathcal{A} has ranks $\{1, 2, \dots, k\}$, we consider the complement DPA, which is \mathcal{A} with ranks $\{0, 1, \dots, k-1\}$. Since DPAs can be complemented by dualizing the acceptance condition, their sensing cost is preserved under complementation, so reasoning about the complemented DPA is sound. For $0 \leq i \leq k$, a cycle in \mathcal{A} is called an i -loop if the maximal rank along the cycle is i . For $0 \leq i \leq j \leq k$, an $[i, j]$ -flower is a state $q_{\otimes} \in Q$ such that for every $i \leq r \leq j$, there is an r -loop that goes through q_{\otimes} .

The following is an adaptation of a result from [12] to strongly connected DPAs:

► **Lemma 13.** *Consider a strongly-connected minimally-ranked DPA $\mathcal{A} = \langle \Sigma, Q, q_0, \Delta, \alpha_{\mathcal{A}} \rangle$ with ranks $\{0, \dots, k\}$. Then, there is a DPA $\mathcal{D} = \langle \Sigma, Q, q_0, \Delta, \alpha_{\mathcal{D}} \rangle$ such that all the following hold.*

1. *For every state $s \in Q$, we have $L(\mathcal{A}^s) = L(\mathcal{D}^s)$. In particular, \mathcal{A} and \mathcal{D} are equivalent.*
2. *There exists $m \in \mathbb{N}$ such that \mathcal{D} has ranks $\{0, \dots, 2m+k\}$ and has a $[2m, 2m+k]$ flower.*

Proof. We start with the following claim, whose proof appears in Appendix A.6.

► **Claim 14.** \mathcal{A} does not have an equivalent DPA with ranks $\{1, \dots, k+1\}$.

Now, [12] proves the lemma for \mathcal{A} that needs not be strongly connected and has no equivalent DPA with ranks $\{1, \dots, k+1\}$. There, the DPA \mathcal{D} has ranks in $\{0, \dots, 2m+k+1\}$, and has a $[2m, 2m+k]$ -flower q_{\otimes} . We argue that since \mathcal{A} is strongly connected, \mathcal{D} has only ranks in $\{0, \dots, 2m+k\}$.

By [12], if there exists $m \in \mathbb{N}$ and a DPA \mathcal{D} that recognizes $L(\mathcal{A})$ and has a $[2m, 2m+k+1]$ -flower, then $L(\mathcal{A})$ cannot be recognized by a DPA with ranks $\{1, \dots, k+2\}$. Observe that in this case, $L(\mathcal{A})$ cannot be recognized by a DPA with ranks $\{0, \dots, k\}$ as well, as by increasing the ranks by 2 we get a DPA with ranks $\{2, \dots, k+2\}$, contradicting the fact $L(\mathcal{A})$ cannot be recognized by a DPA with ranks in $\{1, \dots, k+2\}$. Hence, as \mathcal{A} with ranks $\{0, \dots, k\}$ does exist, the DPA \mathcal{D} cannot have a $[2m, 2m+k+1]$ -flower.

Now, in our case, the DPA \mathcal{A} , and therefore also \mathcal{D} , is strongly-connected. Thus, if \mathcal{D} has a state with rank $2m+k+1$, then the state q_{\otimes} is in the same component with this state, and is therefore a $[2m, 2m+k+1]$ flower. By the above, however, \mathcal{D} cannot have a $[2m, 2m+k+1]$ flower, implying that \mathcal{D} has ranks in $\{0, \dots, 2m+k\}$. ◀ ◀

Let \mathcal{A} and \mathcal{D} be as in Lemma 13, and q_{\otimes} be the $[2m, 2m+k]$ -flower in \mathcal{D} . Note that \mathcal{A} and \mathcal{D} have the same structure and differ only in their acceptance condition. Let $\Omega = \{0, \dots, 2m+k\}$. For a word $w \in \Sigma^*$, let $\rho = s_1, s_1, \dots, s_n$ be the run of \mathcal{D} on w . If ρ ends


in q_{\clubsuit} , we define the q_{\clubsuit} -loop-*abstraction* of w to be the rank-word $\text{abs}(w) \in \Omega^*$ of maximal ranks between successive visits to q_{\clubsuit} . Formally, let $w = y_0 \cdot y_1 \cdots y_t$ be a partition of w such that \mathcal{D} visits the state q_{\clubsuit} after reading the prefix $y_0 \cdots y_j$, for all $0 \leq j \leq t$, and does not visit q_{\clubsuit} in other positions. Then, $\text{abs}(y_i)$, for $0 \leq i \leq t$, is the maximal rank read along y_i , and $\text{abs}(w) = \text{abs}(y_0) \cdot \text{abs}(y_1) \cdots \text{abs}(y_t)$. Recall that $\mathcal{R}_L = \langle \Sigma, \langle L \rangle, \Delta_L, [\epsilon], \alpha \rangle$, where $\langle L \rangle$ are the equivalence classes of the right-congruence relation on L , thus each state $[u] \in \langle L \rangle$ is associated with the language $u^{-1}L$ of words w such that $uw \in L$. We define a function $\varphi : Q \rightarrow \langle L \rangle$ that maps states of \mathcal{A} to languages in $\langle L \rangle$ by $\varphi(q) = L(\mathcal{A}^q)$. Observe that φ is onto. We define a function $\gamma : \langle L \rangle \rightarrow Q$ that maps languages in $\langle L \rangle$ to states of \mathcal{A} by arbitrarily choosing for every language $u^{-1}L \in \langle L \rangle$ a state in $\varphi^{-1}(u^{-1}L)$.

We define a sequence of words $u_{2m}, \dots, u_{2m+k} \in \Omega^*$ as follows. The definition proceeds by an induction. Let $M = |Q| + 1$. First, $u_{2m} = (2m)^M$. Then, for $2m < i \leq 2m+k$, we have $u_i = (i \cdot u_{i-1})^{M-1} \cdot i$. For example, if $m = 2$ and $|Q| = 2$, then $u_4 = 444$, $u_5 = 544454445$, $u_6 = 654445444565444544456$, and so on. Let \mathcal{P} be a DFA that accepts a (finite) word $w \in \Sigma^*$ iff the run of \mathcal{D} on w ends in q_{\clubsuit} and u_{2m+k} is a suffix of $\text{abs}(w)$, for the word $u_{2m+k} \in \Omega^*$ defined above. In Appendix A.7 we describe how to construct \mathcal{P} , essentially by combining a DFA over that alphabet Ω that recognizes $\Omega^* \cdot u_{2m+k}$ with a DFA with state space $Q \times \Omega$ that records the highest rank visited between successive visits to q_{\clubsuit} and thus abstracts words in Σ^* .

We can now turn to the construction of the DPAs \mathcal{B}_n . Recall that $\mathcal{A} = \langle \Sigma, Q, q_0, \Delta, \alpha_{\mathcal{A}} \rangle$, and let $\mathcal{P} = \langle \Sigma, Q_{\mathcal{P}}, t_0, \Delta_{\mathcal{P}}, \{t_{acc}\} \rangle$. For $n \geq 1$, we define $\mathcal{B}_n = \langle \Sigma, Q_n, \langle q_0, t_0 \rangle, \Delta_n, \alpha_n \rangle$ as follows. The states of \mathcal{B}_n are $Q_n = (\langle L \rangle \times \{1, \dots, n\}) \cup (Q \times (Q_{\mathcal{P}} \setminus \{t_{acc}\}))$, where t_{acc} is the unique accepting state of \mathcal{P} . We refer to the two components in the union as the \mathcal{R}_L -*component* and the \mathcal{D} -*component*, respectively. The transitions of \mathcal{B}_n are defined as follows.

- Inside the \mathcal{R}_L -component: for every transition $\langle [u], a, [u'] \rangle \in \Delta_L$ and $i \in \{1, \dots, n-1\}$, there is a transition $\langle ([u], i), a, ([u'], i+1) \rangle \in \Delta_n$.
- From the \mathcal{R}_L -component to the \mathcal{D} -component: for every transition $\langle [u], a, [u'] \rangle \in \Delta_L$, there is a transition $\langle ([u], n), a, (\gamma([u']), t_0) \rangle \in \Delta_n$.
- Inside the \mathcal{D} -component: for every transitions $\langle q, a, q' \rangle \in \Delta$ and $\langle t, a, t' \rangle \in \Delta_{\mathcal{P}}$ with $t' \neq t_{acc}$, there is a transition $\langle (q, t), a, (q', t') \rangle \in \Delta_n$.
- From the \mathcal{D} -component to the \mathcal{R}_L -component: for every transitions $\langle q, a, q' \rangle \in \Delta$ and $\langle t, a, t_{acc} \rangle \in \Delta_{\mathcal{P}}$, there is a transition $\langle (q, t), a, (\varphi(q'), 1) \rangle \in \Delta_n$.

The acceptance condition of \mathcal{B}_n is induced by that of \mathcal{A} . Formally $\alpha_n(q, t) = \alpha_{\mathcal{A}}(q)$, for states $(q, t) \in Q \times Q_{\mathcal{P}}$, and $\alpha_n([u], i) = 0$ for states $([u], i) \in \langle L \rangle \times \{1, \dots, n\}$.



■ **Figure 2** The DPA \mathcal{B}_n .

The idea behind the construction of \mathcal{B}_n is as follows. The automaton \mathcal{B}_n stays in \mathcal{R}_L for n steps, then proceeds to a state in \mathcal{D} with the correct residual language, and simulates \mathcal{D} until the ranks corresponding to the word u_{2m+k} have been seen. It then goes back to \mathcal{R}_L , by projecting the current state of \mathcal{D} onto its residual in $\langle L \rangle$. The bigger n is, the more time a run spends in the \mathcal{R}_L -component, making \mathcal{R}_L the more dominant factor in the sensing cost of \mathcal{B}_n . As n tends to infinity, the sensing cost of \mathcal{B}_n tends to that of \mathcal{R}_L . The technical challenge is to define \mathcal{P} in such a way so that even though the run spends less time in the \mathcal{D} component, we can count on the ranks visited during this short time in order to determine

whether the run is accepting. We are now going to formalize this intuition, and we start with the most challenging part of the proof, namely the equivalence of \mathcal{B}_n and \mathcal{A} . The proof is decomposed into the three Lemmas 15, 16, and 17.

► **Lemma 15.** *Consider a word $u \in \Sigma^*$ such that the run of \mathcal{B}_n on u reaches the \mathcal{D} -component in state $\langle q, t \rangle$. Then, $L(\mathcal{D}^q) = L(\mathcal{A}^q) = u^{-1}L$.*

Proof. We prove a stronger claim, namely that if the run of \mathcal{B}_n on u ends in the \mathcal{R}_L -component in a state $\langle s, i \rangle$, then $s = [u]$, and if the run ends in the \mathcal{D} -component in a state $\langle q, t \rangle$, then $L(\mathcal{A}^q) = u^{-1}L$. The proof proceeds by induction on $|u|$ and is detailed in Appendix A.8. By Lemma 13, for every $q \in Q$, we have $L(\mathcal{A}^q) = L(\mathcal{D}^q)$, so the claim follows. ◀ ◀

► **Lemma 16.** *If the run of \mathcal{B}_n on a word $w \in \Sigma^\omega$ visits the \mathcal{R}_L -component finitely many times, then $w \in L$ iff $w \in L(\mathcal{B}_n)$.*

Proof. Let $u \in \Sigma^*$ be a prefix of w such that the run of \mathcal{B}_n on w stays forever in the \mathcal{D} -component after reading u . Let $(q, t) \in Q_n$ be the state reached by \mathcal{B}_n after reading u . By Lemma 15, we have $L(\mathcal{A}^q) = u^{-1}L$. Since the run of \mathcal{B}_n from (q, t) stays in the \mathcal{D} -components where it simulates the run of \mathcal{A} from q , then \mathcal{A}^q accepts the suffix $w^{|u|}$ iff $\mathcal{B}_n^{(q,t)}$ accepts $w^{|u|}$. It follows that $w \in L$ iff $w \in L(\mathcal{B}_n)$. ◀ ◀

The complicated case is when the run of \mathcal{B}_n on w does visit the \mathcal{R}_L -component infinitely many times. This is where the special structure of \mathcal{P} guarantees that the sparse visits in the \mathcal{D} -component are sufficient for determining acceptance.

► **Lemma 17.** *If the run of \mathcal{B}_n on a word $w \in \Sigma^\omega$ visits the \mathcal{R}_L -component infinitely many times, then $w \in L$ iff $w \in L(\mathcal{B}_n)$.*

Proof. Let $\tau = s_1, s_2, s_3, \dots$ be the run of \mathcal{B}_n on w and let $\rho = q_1, q_2, q_3, \dots$ be the run of \mathcal{A} on w . We denote by $\tau[i, j]$ the infix s_i, \dots, s_j of τ . We also extend $\alpha_{\mathcal{D}}$ to (infixes of) runs by defining $\alpha_{\mathcal{D}}(\tau[i, j]) = \alpha_{\mathcal{D}}(s_i), \dots, \alpha_{\mathcal{D}}(s_j)$. For a rank-word $u \in \Omega^*$, we say that an infix $\tau[i, j]$ is a u -infix if $\alpha_{\mathcal{D}}(\tau[i, j]) = u$.

If $v = \tau[i, j]$, for some $0 \leq i \leq j$, is a part of a run of \mathcal{D} that consists of loops around q_{\otimes} , we define the *loop type* of v to be the word in Ω^* that describes the highest rank of each simple loop around q_{\otimes} in v . An infix of τ whose loop type is u_i for some $2m \leq i \leq 2m + k$ is called a u_i -loop-infix.

By our assumption, τ contains infinitely many u_{2m+k} -infixes. Indeed, by the definition of \mathcal{P} , otherwise τ get trapped in the \mathcal{D} -component. We proceed by establishing a connection between u_i -loop-infixes of τ and the corresponding infixes of ρ , for all $2m \leq i \leq 2m + k$.

Let $i \in \{2m, \dots, 2m + k\}$, and consider a u_i -loop-infix. By the definition of u_i , such a u_i -loop-infix consists of a sequence of $M = |Q| + 1$ i -loops in τ , with loops of lower ranks between them. We can write $w = xv w'$, where $v = w[c, d]$ is the sub word that corresponds to the u_i -loop-infix. Let $u'_i = \alpha_{\mathcal{A}}(\rho[c, d])$ be the ranks of ρ in the its part that corresponds to v .

By our choice of M , we can find two indices $c \leq j < l \leq d$ such that the pairs $\langle (q_j, t), q'_j \rangle$ and $\langle (q_l, t'), q'_l \rangle$ reached by (τ, ρ) in indices j and l , respectively, satisfy $q_j = q_l = q_{\otimes}$ and $q'_j = q'_l$. Additionally, being a part of the run on a u_i -loop-infix, the highest rank seen between q_j and q_l in τ is i . We write $v = v_1 v_2 v_3$, where $v_1 = v[1, j]$, $v_2 = v[j + 1, l]$, and $v_3 = v[l + 1, |v|]$. Thus, the loop type of v_2 is in $(i u_{i-1})^+ i$, with the convention $u_{2m-1} = \epsilon$.

Consider the runs μ and η of \mathcal{D}^{q_j} and of $\mathcal{A}^{q'_j}$ on v_2^ω , respectively. These runs are loops labeled by v_2 , where the highest rank in μ is i . By Lemma 15, $L(\mathcal{D}^{q_j}) = L(\mathcal{A}^{q'_j})$, so the highest rank in η must have same parity (odd or even) as i .

Thus, we showed that for every $i \in \{2m, \dots, 2m+k\}$, and for every u_i -loop-infix v of τ , there is an infix of v with loop-type in $(iu_{i-1})^+i$, such that the infix of ρ corresponding to v has highest rank of same parity as i .

We want to show that rank k is witnessed on ρ during every u_{2m+k} -infix of τ . Assume by way of contradiction that this is not the case. This means that there is some u_{2m+k} -infix v' in τ such that all ranks visited in ρ along v' are at most $k-2$. Indeed, since the highest rank has to be of the same parity as $2m+k$, which has the same parity as k , it cannot be $k-1$. By the same argument, within v' there is an infix v'' of u_{2m+k-1} of the form $((2m+k-1)(u_{2m+k-2}))^+(2m+k-1)$ in which the highest rank in ρ is of the same parity as $k-1$. As v'' is also an infix of v' , the highest rank in ρ along v'' is at most $k-2$. Thus, the highest rank along v'' is at most $k-3$. By continuing this argument by induction down to 0, we reach a contradiction (in fact it is reached at level 1), as no rank below 0 is available.

We conclude that the run ρ witnesses a rank k in any u_k -infix of τ . Since τ contains infinitely many u_k -infixes, then ρ contains infinitely many ranks k , and, depending on the parity of k , either both ρ and τ are rejecting or both are accepting.

This concludes the proof that $w \in L$ iff $w \in L(\mathcal{B}_n)$. ◀ ◀

We proceed to show that the sensing cost of the sequence of DPAs \mathcal{B}_n indeed converges to that of \mathcal{R}_L .

► **Lemma 18.** $\lim_{n \rightarrow \infty} \text{scost}(\mathcal{B}_n) = \text{scost}(\mathcal{R}_L)$.

Proof. Since \mathcal{D} is strongly connected, then q_\star is reachable from every state in \mathcal{D} . Also, since q_\star is a $[2m, 2m+k]$ -flower, we can construct a sequence of loops around q_\star whose ranks correspond to the word u_{2m+k} . Thus, t_{acc} is reachable from every state in the \mathcal{D} -component. This implies that \mathcal{B}_n is strongly connected, and therefore, a run of \mathcal{B}_n is expected to traverse both components infinitely often, making the \mathcal{R}_L -component more dominant as n grows, implying that $\lim_{n \rightarrow \infty} \text{scost}(\mathcal{B}_n) = \text{scost}(\mathcal{R}_L)$. Formalizing this intuition involves a careful analysis of \mathcal{B}_n 's Markov chain, as detailed in Appendix A.11. ◀ ◀

Lemmas 16, and 17 put together ensure that for strongly connected automata, we have that $L(\mathcal{B}_n) = L$, so with Lemma 18, we get $\text{scost}(L) = \text{scost}(\mathcal{R}_L)$.

It is left to remove the assumption about \mathcal{A} being strongly connected. The proof is detailed in Appendix A.12, and uses the above result on each ergodic component of \mathcal{A} .

► **Remark 19.** All our results can be easily extended to a setting with a non-uniform distribution on the letters given by any Markov chain, or with a different cost for each input in each state. We can also use a decision tree to read the inputs instead of reading them simultaneously, defining for instance a cost of 1.5 if the state starts by reading a , then if a is true it also reads b . ◀

5 Directions for Future Research

Regular sensing is a basic notion, which we introduced and studied for languages of finite and infinite words. In this section we discuss possible extensions and variants of our definition and contribution.

Open systems: Our setting assumes that all the signals in P are generated by the environment and read by the automaton. In the setting of open systems, we partition P

into a set I of input signals, generated by the environment, and a set O of output signals, generated by the system. Then, we define the sensing cost of a specification as the minimal sensing cost required for a transducer that realizes it, where here, sensing is measured only with respect to the signals in I . Also, the transducer does not have to generate all the words in the language – it only has to associate a computation in the language with each input sequence. These two differences may lead to significantly different results than those presented in the paper.

Trade-off between sensing and quality: The key idea in the proof of Theorem 12 is that when we reason about languages of infinite words, it is sometimes possible to delay the sensing and only sense in “sparse” intervals. In practice, however, it is often desirable to satisfy eventualities quickly. This is formalized in multi-valued formalisms such as LTL with future discounting [1], where formulas assign higher satisfaction values to computations that satisfy eventualities fast. Our study here suggests that lower sensing leads to lower satisfaction values. An interesting problem is to study and formalize this intuitive trade-off between sensing and quality.

Transient cost: In our definition of sensing, transient states are of no importance. Consequently, for example, all safety languages have sensing cost 0, as the probability of a safety property not being violated is 0, and once it is violated, no sensing is required. An alternative definition of sensing cost may take transient states into an account. One way to do it is to define the sensing cost of a run as the discounted sum $\sum_{i \geq 0} 2^{-i} \cdot \text{sensed}(|q_i|)$ of the sensing costs of the states q_0, q_1, \dots it visits.

Beyond regular: Our definition of sensing cost can be adapted to more complex models, such as pushdown automata or Turing machines. It would be interesting to see the trade-off between sensing and classical complexity measures in such models.

References

- 1 S. Almagor, U. Boker, and O. Kupferman. Discounting in LTL. In *Proc. 20th TACAS*, LNCS 8413, pages 424–439. Springer, 2014.
- 2 G. Avni and O. Kupferman. When does abstraction help? *Information Processing Letters*, 113:901–905, 2013.
- 3 K. Chatterjee and R. Majumdar. Minimum attention controller synthesis for ω -regular objectives. In *FORMATS*, pages 145–159, 2011.
- 4 K. Chatterjee, R. Majumdar, and T. A. Henzinger. Controller synthesis with budget constraints. In *Proc. 11th HSCC*, LNCS 4981, pages 72–86. Springer, 2008.
- 5 D.L. Donoho. Compressed sensing. *IEEE Trans. Inform. Theory*, 52:1289–1306, 2006.
- 6 C. Grinstead and J. Laurie Snell. 11:markov chains. In *Introduction to Probability*. American Mathematical Society, 1997.
- 7 G. Kindler. *Property Testing, PCP, and Juntas*. PhD thesis, Tel Aviv University, 2002.
- 8 O. Kupferman and M.Y. Vardi. Church’s problem revisited. *The Bulletin of Symbolic Logic*, 5(2):245 – 263, 1999.
- 9 E. Kushilevitz and N. Nisan. *Communication complexity*. Cambridge Univ. Press, 1997.
- 10 C. Mauduit and A. Sárköz. On finite pseudorandom binary sequences. i. measure of pseudorandomness, the legendre symbol. *Acta Arith.*, 82(4):365–377, 1997.
- 11 S. Muthukrishnan. Theory of data stream computing: where to go. In *Proc. 30th PODS*, pages 317–319, 2011.
- 12 D. Niwinski and I. Walukiewicz. Relating hierarchies of word and tree automata. In *STACS*, LNCS 1373. Springer, 1998.
- 13 S. Schewe. Beyond Hyper-Minimisation—Minimising DBAs and DPAs is NP-Complete. In *Proc. 30th FSTTCS*, LIPIcs 8, pages 400–411, 2010.

A Details and Proofs

A.1 Proof of Lemma 3

Let $q \in Q$, and consider a random infinite run r in M_A . If q is transient, then it is easy to see that $\lim_{m \rightarrow \infty} \frac{1}{m} E_m(q) = 0 = \pi(q)$, because with probability 1, the state q does not appear after some point in r . Otherwise, let $C \in \mathcal{C}_e$ be the ergodic SCC of q . The probability that r reaches C is given by $\rho(C)$. By the law of total expectation, and since q is reachable only if r reaches C , we have that $E_m(q) = \rho(C) E_{m-t}^C$ where t is the expected time by which r reaches C . Thus, $\lim_{m \rightarrow \infty} \frac{E_m(q)}{m} = \rho(C) \lim_{m \rightarrow \infty} \frac{E_{m-t}^C}{m} = \rho(C) \lim_{m \rightarrow \infty} \frac{E_m^C}{m} = \rho(C) \pi_C(q)$. ◀

A.2 Proof of Theorem 4

By Lemma 3, we have $\pi(q) = \lim_{m \rightarrow \infty} \frac{E_m(q)}{m}$, where $E_m(q)$ is the expected number of occurrences of q in a random m -step run. This can be restated in our case as $\pi(q) = \lim_{m \rightarrow \infty} \frac{1}{m|\Sigma|^m} \sum_{w:|w|=m} Occ_w(q)$, where $Occ_w(q)$ is the number of occurrences of q in the run of \mathcal{A} on w . By definition, $scost(\mathcal{A}) = \lim_{m \rightarrow \infty} |\Sigma|^{-m} \sum_{w:|w|=m} scost_{\mathcal{A}}(w)$, and also $scost_{\mathcal{A}}(w) = \sum_{q \in Q} scost(q) \cdot Occ_w(q)$. From this, we get

$$\begin{aligned} scost(\mathcal{A}) &= \lim_{m \rightarrow \infty} |\Sigma|^{-m} \sum_{w:|w|=m} \sum_{q \in Q} scost(q) \cdot Occ_w(q) \\ &= \sum_{q \in Q} scost(q) \cdot \lim_{m \rightarrow \infty} |\Sigma|^{-m} \sum_{w:|w|=m} Occ_w(q) = \sum_{q \in Q} scost(q) \cdot \pi(q). \end{aligned}$$

◀

A.3 Calculating the SCC-reachability distribution

The stationary distribution π_C of each ergodic SCC C can be computed in polynomial time by solving a system of linear equations.


We show that the SCC-reachability distribution $\rho : \mathcal{C} \rightarrow [0, 1]$ can also be calculated in polynomial time. First, if the initial state q_0 is in an ergodic SCC, the result is trivial. Otherwise, we proceed as follows. We associate with \mathcal{A} the Markov chain M'_A , in which we contract each ergodic SCC of \mathcal{A} to a single state. That is, M'_A is obtained from M_A by replacing each $C \in \mathcal{C}_e$ by a single state q_C . Notice that M'_A is an *absorbing* Markov chain, thus it reaches a sink state with probability 1. Indeed, the probability of reaching an ergodic SCC in M_A is 1, and every SCC in M_A becomes a sink state in M'_A .

By indexing the rows and columns in the transition matrix of M'_A such that transient states come before ergodic states, we can put the matrix in a normal form $\begin{pmatrix} T & E \\ 0 & I \end{pmatrix}$, where T describes the transitions between transient states, E from transient to ergodic states, and I is the identity matrix of size $|\mathcal{C}_e|$. Note that, indeed, there are no transitions from ergodic states to transient ones, which explains the 0 matrix in the bottom left, and that I captures the fact the ergodic states are sinks. By [6], the entry at coordinates (q_t, q_C) in the matrix $B = (I - T)^{-1}E$ is the probability of reaching the sink q_C starting from the transient state q_t . Therefore, for every $C \in \mathcal{C}_e$, we have that $\rho(C) = B_{(q_0, q_C)}$.

A.4 Examples of sensing costs of automata

Let $P = \{a, b\}$. Consider the DFA \mathcal{A}_1 appearing in Figure 3. Note that $L(\mathcal{A}_1) = (\text{True})^* \cdot a \cdot b \cdot (\text{True})^*$. It is easy to see that $sensed(q_0) = \{a\}$, $sensed(q_1) = \{b\}$, and $sensed(q_2) = \emptyset$.

Accordingly, $scost(q_0) = scost(q_1) = 1$ and $scost(q_2) = 0$. Since the state q_2 forms the only ergodic SCC, the limiting distribution on the states of \mathcal{A} is $\pi(q_0) = \pi(q_1) = 0$ and $\pi(q_2) = 1$. Hence, $scost(\mathcal{A}_1) = 0$.




■ **Figure 3** The DFA \mathcal{A}_1 .

Consider now the DFA \mathcal{A}_2 , appearing in Figure 4, with $L(\mathcal{A}_2) = (\text{True})^* \cdot a \cdot b$. Here, $sensed(q_0) = \{a\}$, $sensed(q_1) = \{a, b\}$, and $sensed(q_2) = \{a\}$. Accordingly, $scost(q_0) = scost(q_1) = 1$ and $scost(q_2) = 2$. Since \mathcal{A}_2 is strongly connected, its limiting distribution is its unique stationary distribution, which can be calculated by solving the following system of equations, where x_i corresponds to $\pi(q_i)$:

$$\begin{aligned} \blacksquare \quad x_0 &= \frac{1}{2}x_0 + \frac{1}{4}x_1 + \frac{1}{2}x_2. & \blacksquare \quad x_2 &= \frac{1}{2}x_1. \\ \blacksquare \quad x_1 &= \frac{1}{2}x_0 + \frac{1}{4}x_1 + \frac{1}{2}x_2. & \blacksquare \quad x_0 + x_1 + x_2 &= 1. \end{aligned}$$

Accordingly, $\pi(q_0) = \pi(q_1) = \frac{2}{5}$ and $\pi(q_2) = \frac{1}{5}$. We conclude that the sensing cost of \mathcal{A}_2 is $1 \cdot \frac{2}{5} + 2 \cdot \frac{2}{5} + 1 \cdot \frac{1}{5} = \frac{7}{5}$.



■ **Figure 4** The DFA \mathcal{A}_2 and its corresponding Markov chain.

A.5 Proof that the cost of the residual automaton is necessary

We prove that for every DPA \mathcal{A} with $L(\mathcal{A}) = L$, we have that $scost(\mathcal{A}) \geq scost(\mathcal{R}_L)$. Consider a word $w \in \Sigma^\omega$ and a prefix $u \in \Sigma^*$ of w . After reading u , the DPA \mathcal{R}_L reaches the state $[u]$ and the DPA \mathcal{A} reaches a state q with $L(\mathcal{A}^q) = u^{-1}L$. As in the case of finite words, for every state $q \in Q$ such that $L(\mathcal{A}^q) = u^{-1}L$, it holds that $sensed([u]) \subseteq sensed(q)$, implying that $scost(q) \geq scost([u])$. Now, since this holds for all prefixes u of w , it follows that $scost_{\mathcal{A}}(w) \geq scost_{\mathcal{R}_L}(w)$. Finally, since the latter holds for every word $w \in \Sigma^\omega$, it follows that $scost(\mathcal{A}) \geq scost(\mathcal{R}_L)$.

Note that the arguments in the proof are independent of the acceptance condition of \mathcal{A} and apply also to stronger acceptance conditions, such as the Muller acceptance condition.

A.6 Proof of Claim 14

Assume by contradiction that there is a DPA \mathcal{B} with ranks $\{1, \dots, k+1\}$ that recognizes $L(\mathcal{A})$. Let $u \in \Sigma^*$ be such that the run of \mathcal{B} on u ends in an ergodic SCC C of \mathcal{B} . Since \mathcal{A} is strongly connected, there is a word $v \in \Sigma^*$ such that the run of \mathcal{A} on the word uv ends in the initial state of \mathcal{A} . That is, $(uv)^{-1}L = L$. Since $L(\mathcal{B}) = L(\mathcal{A})$, this implies that the run of \mathcal{B} on uv ends in a state q such that $L(\mathcal{B}^q) = L$. Since after reading u , the run is in the ergodic component C , we have $q \in C$. Thus, \mathcal{B}^q is a strongly connected DPA equivalent

to \mathcal{A} . By our assumption, $L(\mathcal{A})$ cannot be recognized by a DPA with ranks in $\{1, \dots, k\}$, and thus the ranks in \mathcal{B}^q are $\{1, \dots, k+1\}$. In particular, there is a state q' in \mathcal{B}^q with rank $k+1$.

Let s be a state in \mathcal{A} with rank k . Let $u_0 \in \Sigma^*$ be such that the run of \mathcal{A} on u_0 reaches s , and let $u_1 \in \Sigma^*$ be such that the run of \mathcal{B}^q on $u_0 u_1$ reaches q' (recall that \mathcal{B}^q is strongly connected). We can construct in this manner an infinite word $w = u_0 u_1 u_2 \dots$ such that for all $i \geq 0$, the run of \mathcal{A} on u_0, \dots, u_{2i} reaches s and the run of \mathcal{B}^q on u_0, \dots, u_{2i+1} reaches q' . Thus, the maximal rank in the run of \mathcal{A} (resp. \mathcal{B}^q) on w is k (resp. $k+1$). However, k and $k+1$ have different parity, so $L(\mathcal{A}) \neq L(\mathcal{B}^q)$, which contradicts our assumption. We conclude that $L(\mathcal{A})$ is not recognizable by a DPA with ranks $\{1, \dots, k+1\}$.

A.7 The construction of the auxiliary DFA \mathcal{P}

Let $\mathcal{H}_{2m+k} = \langle \Omega, Q', q'_0, \Delta', \alpha' \rangle$ be the minimal DFA that recognizes the language $\Omega^* \cdot u_{2m+k}$. We can define \mathcal{H}_{2m+k} so that α' contains a single state q'_{acc} . Indeed, there is a single accepting Myhill-Nerode class of the language $\Omega^* \cdot u_{2m+k}$.

Let \mathcal{H} be the DFA with state space $Q \times \Omega$ and alphabet Σ that maintains in its state the highest rank seen since the last occurrence of q_{\otimes} (or since the beginning of the word, if no q_{\otimes} has been seen) in the run of \mathcal{D} on the word. Thus, \mathcal{H} is in state $\langle q, i \rangle$ iff the highest rank that was visited by \mathcal{D} since the last visit to q_{\otimes} is i . Observe that simulating \mathcal{H} when \mathcal{D} is in an r -loop that started from q_{\otimes} , means that the next visit to q_{\otimes} will make \mathcal{H} reach the state $\langle q_{\otimes}, r \rangle$.

Formally, $\mathcal{H} = \langle \Sigma, Q \times \Omega, \langle q_0, 0 \rangle, \Delta_{\mathcal{H}}, Q \times \Omega \rangle$, where $\Delta_{\mathcal{H}}$ is defined as follows.

- For every state $\langle q, i \rangle$ where $q \neq q_{\otimes}$, and for every $\sigma \in \Sigma$, we have $\langle \langle q, i \rangle, \sigma, \langle s, \max\{i, i'\} \rangle \rangle \in \Delta_{\mathcal{H}}$ where s is such that $\langle q, \sigma, s \rangle \in \Delta$, and $i' = \alpha_{\mathcal{D}}(s)$.
- For a state $\langle q_{\otimes}, i \rangle$ and for $\sigma \in \Sigma$, we have $\langle \langle q_{\otimes}, i \rangle, \sigma, \langle s, i' \rangle \rangle \in \Delta_{\mathcal{H}}$ where s is such that $\langle q, \sigma, s \rangle \in \Delta$, and $i' = \alpha_{\mathcal{D}}(s)$.

We obtain \mathcal{P} by composing \mathcal{H} with \mathcal{H}_{2m+k} as follows. In every step of a run of \mathcal{D} , the DFA \mathcal{P} advances in the DFA \mathcal{H} , while the DFA \mathcal{H}_{2m+k} only advances when we visit q_{\otimes} , and it advances according to the highest rank stored in \mathcal{H} .

Formally, $\mathcal{P} = \langle \Sigma, Q_{\mathcal{P}}, t_0, \Delta_{\mathcal{P}}, \{t_{acc}\} \rangle$, where $Q_{\mathcal{P}} = Q \times \Omega \times Q'$, $t_0 = \langle q_0, 0, q'_0 \rangle$, $t_{acc} = \langle q_{\otimes}, 2m+k, q'_{acc} \rangle$ and the transition relation is defined as follows. For every state $\langle q, i, s \rangle \in Q_{\mathcal{P}}$ and letter $\sigma \in \Sigma$, we have $\langle \langle q, i, s \rangle, \sigma, \langle q', i', s' \rangle \rangle \in \Delta_{\mathcal{P}}$, where $\langle q', i' \rangle$ is such that $\langle \langle q, i \rangle, \sigma, \langle q', i' \rangle \rangle \in \Delta_{\mathcal{H}}$, and s' is such that $\langle s, i', s' \rangle \in \Delta'$ if $q' = q_{\otimes}$, while $s' = s$ if $q \neq q_{\otimes}$.

A.8 Details of the proof of Lemma 15

We complete the proof by induction.

For $u = \epsilon$, the claim is trivial, as \mathcal{B}_n starts in $\langle q_0, t_0 \rangle$. Consider the word $u \cdot \sigma$ for $u \in \Sigma^*$ and $\sigma \in \Sigma$. By the induction hypothesis, if the run of \mathcal{B}_n on u ends in an \mathcal{R}_L component in state $\langle s, i \rangle$, then $s = [u]$. If $i < n$, then, by the definition of \mathcal{R}_L , the next state is $\langle [u \cdot \sigma], i+1 \rangle$, we are done. If $i = n$ then the next state is $\langle \gamma([u \cdot \sigma]), t_0 \rangle$. By the definition of γ , we have $L(\mathcal{A}^{\gamma([u \cdot \sigma])}) = (u \cdot \sigma)^{-1}L$, so we are done.

We continue to the case the run of \mathcal{B}_n on u ends in the \mathcal{D} -component. If the run ends in a state $\langle p, t \rangle$ such that $\langle t, \sigma, t_{acc} \rangle \notin \Delta_{\mathcal{P}}$, then, by the induction hypothesis, we have that $L(\mathcal{A}^p) = u^{-1}L$. Reading σ , we move to a state $\langle p', t' \rangle$ such that $\langle p, \sigma, p' \rangle \in \Delta$, thus $L(\mathcal{A}^{p'}) = (u \cdot \sigma)^{-1}L$, and we are done. Otherwise, $\langle t, \sigma, t_{acc} \rangle \in \Delta_{\mathcal{P}}$ and the next state of \mathcal{B}_n is $\langle \varphi(p'), 1 \rangle$. By the definition of φ , we have $\varphi(p') = [u \cdot \sigma]$, and we are done.

A.9 On Monotonicity of Sensing

The example in Remark 2 suggests that there is a trade-off between guessing and sensing. Consider a DFA $\mathcal{A} = \langle \Sigma, Q, q_0, \delta, \alpha \rangle$, with $\Sigma = 2^P$. For a state $q \in Q$ and a signal $p \in P$, let $\mathcal{A}_{q \downarrow p}$ be the NFA obtained from \mathcal{A} by ignoring p in q . Thus, in state q , the NFA $\mathcal{A}_{q \downarrow p}$ guesses the value of p and proceeds to all the successors that are reachable with some value. Note that the guess introduces nondeterminism. Formally, $\mathcal{A}_{q \downarrow p} = \langle \Sigma, 2^Q, \{q_0\}, \delta', \alpha' \rangle$, where for every state $T \in 2^Q$ and letter $S \in 2^P$, we define $\delta'(T, S) = \bigcup_{t \in T} \delta(t, S)$ if $q \notin T$, and $\delta'(T, S) = \delta(q, S \setminus \{p\}) \cup \delta(q, S \cup \{p\}) \cup \bigcup_{t \in T \setminus \{q\}} \delta(t, S)$ if $q \in T$. Also, a state $T \subseteq Q$ is in α' iff $T \cap \alpha \neq \emptyset$. It is easy to see that $L(\mathcal{A}) \subseteq L(\mathcal{A}_{q \downarrow p})$. Since $\mathcal{A}_{q \downarrow p}$ is obtained from \mathcal{A} by giving up some of its sensing, it is tempting to think that $\text{scost}(L(\mathcal{A}_{q \downarrow p})) \leq \text{scost}(L(\mathcal{A}))$. As we now show, however, sensing is not monotone. For two languages L and L' , we say that L' is an abstraction of L if there is a DFA \mathcal{A} such that $L(\mathcal{A}) = L$ and there is a state q and a signal p of \mathcal{A} such that $L' = L(\mathcal{A}_{q \downarrow p})$.

► **Theorem 20.** *Sensing is not monotone. That is, there is a language L and an abstraction L' of L such that $\text{scost}(L) \leq \text{scost}(L')$.*

Proof. Let $P = \{a, b, c\}$. Consider the language $L = a \cdot \text{True}^* \cdot b + (\neg a) \cdot \text{True}^* \cdot c$. It is not hard to see that $\text{scost}(L) = 1$. Indeed, a DFA for L has to sense a in its initial state and then has to always sense either b (in case a appears in the first letter) or c (otherwise).

Giving up the sensing of a in the initial state of a DFA for L we end up with the language $L' = (\text{True})^+ \cdot (b \vee c)$. It is not hard to see that $\text{scost}(L') = 2$. Indeed, every DFA for L' has to almost always sense both b and c . ◀ ◀

We conclude that replacing a sensor with non-determinism may actually result in a language for which we need more sensors. This corresponds to the known fact that abstraction of automata may result in bigger (in fact, exponentially bigger) DFAs [2]. Also, while the above assumes an abstraction that over-approximates the original language, a dual argument could show that under-approximating the language (that is, defining $\mathcal{A}_{q \downarrow p}$ as a universal automaton) may result in a language with higher sensing cost.

A.10 Operations on DFAs and Their Sensing Cost

In this section we study the effect of actions on DFAs on their sensing cost. We start with complementation. For every regular language L , a DFA for $\text{comp}(L) = \Sigma^* \setminus L$ can be obtained from a DFA for L by complementing the set of accepting states. In particular, this holds for \mathcal{R}_L , implying the following.

► **Lemma 21.** *For every regular language L we have that $\text{scost}(L) = \text{scost}(\text{comp}(L))$.*

Next, we consider the union of two regular languages.

► **Lemma 22.** *For every regular languages $L_1, L_2 \subseteq (2^P)^*$, we have $\text{scost}(L_1 \cup L_2) \leq \text{scost}(L_1) + \text{scost}(L_2)$.*

Proof. Consider the minimal DFAs $\mathcal{A}_1 = \langle 2^P, Q^1, \delta^1, q_0^1, \alpha^1 \rangle$ and $\mathcal{A}_2 = \langle 2^P, Q^2, \delta^2, q_0^2, \alpha^2 \rangle$ for L_1 and L_2 , respectively. Let $\mathcal{B} = \langle 2^P, Q^1 \times Q^2, \delta, (q_0^1, q_0^2), (\alpha^1 \times Q^2) \cup (Q^1 \times \alpha^2) \rangle$ be their product DFA. Note that $L(\mathcal{B}) = L_1 \cup L_2$. We claim that for every state $\langle q, s \rangle \in Q^1 \times Q^2$, we have that $\text{sensed}(\langle q, s \rangle) \subseteq \text{sensed}(q) \cup \text{sensed}(s)$. Indeed, if $p \notin \text{sensed}(q) \cup \text{sensed}(s)$, then for every set $S \subseteq P \setminus \{p\}$, it holds that $\delta^1(q, S) = \delta^1(q, S \cup \{p\})$ and $\delta^2(s, S) = \delta^2(s, S \cup \{p\})$. Thus, $\delta(\langle q, s \rangle, S) = \delta(\langle q, s \rangle, S \cup \{p\})$, so $p \notin \text{sensed}(\langle q, s \rangle)$. We thus have that $\text{scost}(\langle q, s \rangle) \leq \text{scost}(q) + \text{scost}(s)$.

It follows that for every word $w \in (2^P)^*$, we have that $\text{scost}_{\mathcal{B}}(w) \leq \text{scost}_{\mathcal{A}_1}(w) + \text{scost}_{\mathcal{A}_2}(w)$. Indeed, in every state in the run of \mathcal{B} on w , the sensing is at most the sum of the sensings in the corresponding states in the runs of \mathcal{A}_1 and \mathcal{A}_2 on w . Since this is true for every word in Σ^* , then taking the limit of the average cost yields the result. ◀ ◀

We now consider the concatenation of two languages. The following lemma shows that the sensing level may increase from 0 to 1 when concatenating languages.

► **Lemma 23.** *There are languages $L_1, L_2 \subseteq \Sigma^*$ such that $\text{scost}(L_1) = \text{scost}(L_2) = 0$, yet $\text{scost}(L_1 \cdot L_2) = 1$.*

Proof. Let $P = \{a\}$, and consider the languages $L_1 = (2^P)^*$ and $L_2 = \{\{a\}\}$. It is not hard to see that $\text{scost}(L_1) = \text{scost}(L_2) = 0$. Indeed, a DFA for L_1 consists of a single accepting sink with no sensing, and a DFA for L_2 has a single ergodic component, which is a rejecting sink with no sensing. On the other hand $L_1 \cdot L_2$ consists of all words that end with $\{a\}$ and thus a DFA for it has to always sense a . ◀ ◀

A.11 Formal proof of Lemma 18

Consider the Markov chain that corresponds to \mathcal{B}_n , and let T_n be its transition matrix. For a vector $v = (v_1, \dots, v_m)$, let $\|v\| = \sum_{i=1}^m v_i$. The sensing cost of \mathcal{B}_n is computed using the limiting distribution π_n of \mathcal{B}_n . Since \mathcal{B}_n is strongly connected, it has a unique stationary distribution. Thus π_n is obtained as a solution of the equation $\pi_n T_n = \pi_n$, subject to the constraint $\|\pi_n\| = 1$. We denote by $x_n = (x_{n,1}, \dots, x_{n,d})$ the sub-vector of π_n that corresponds to the \mathcal{D} -component, and denote by $y_{n,i}$ the sub-vector that corresponds to the i -th \mathcal{R}_L -component. For every $1 \leq i < n$, it is easy to see that $\|y_{n,i}\| = \|y_{n,i+1}\|$. Indeed, all the transitions from the i -th copy of \mathcal{R}_L are to the $(i+1)$ -th copy. Thus, $\|y_{n,i}\|$ is independent of i . Let $a_n = \|y_{n,1}\| \geq 0$ and $b_n = \|x_n\| \geq 0$. Observe that for every n , we have that $na_n + b_n = 1$, so in particular, $\lim_{n \rightarrow \infty} a_n = 0$.

Let $\epsilon > 0$. By the definition of \mathcal{P} , we always enter the first \mathcal{R}_L -component in the state $[q_{\star}]$ of \mathcal{R}_L – the state corresponding to $L(\mathcal{A}^{q_{\star}})$. Let τ_0 be the distribution over the states of \mathcal{R}_L in which $[q_{\star}]$ is assigned probability 1 and the other states of \mathcal{R}_L are assigned 0, and let $\theta = (\theta_1, \dots, \theta_l)$ be the unique stationary distribution of \mathcal{R}_L . Let R be the matrix associated with the Markov chain of \mathcal{R}_L , and let $\tau_i = \tau_0 R^i$ for every $i \geq 1$. By [6], there exists n_0 such that for all index $i \geq n_0$ and $1 \leq j \leq l$, we have that $|\tau_{i,j} - \theta_j| \leq \epsilon$. Note that for all n and i , it holds that $y_{n,i} = \tau_i$.

Let $\{q_1, \dots, q_d\}$ be the states in the \mathcal{D} -component. Since \mathcal{P} is strongly connected, then for every $1 \leq i, j \leq d$ there is a path from q_i to q_j with at most $d-1$ transitions. Since there are at most $|\Sigma|$ edges leaving each state, the probability of taking each edge along such a path is at least $\mu = \frac{1}{|\Sigma|}$. Therefore, the probability of reaching q_j from q_i is at least μ^{d-1} . Consider the maximal entry in x_n (w.l.o.g $x_{n,1}$). It holds that $x_{n,1} \geq \frac{\|x_n\|}{d} = \frac{b_n}{d}$. Therefore, for all $1 \leq j \leq d$, we have $x_{n,j} \geq \mu^{d-1} x_{n,1} \geq \frac{\mu^{d-1}}{d} b_n$.

Recall that t_{acc} is reachable from all the states in the \mathcal{D} -component. Therefore, there is at least one transition from some state q_j of the \mathcal{D} -component to the first \mathcal{R}_L -component. This means that $a_n \geq \mu \cdot x_{n,j} \geq \frac{\mu^d}{d} b_n$, implying that $b_n \leq \mu^{-d} \cdot d \cdot a_n$, which tends to 0 when n tends to ∞ .

We now consider the cost of \mathcal{B}_n , for $n \geq n_0$. Clearly, the maximal cost of a state is $|P|$. Let c_j be the cost of the state indexed j in \mathcal{R}_L , and let $\tau_i = (\tau_{i,1}, \dots, \tau_{i,l})$. Then,

$$\begin{aligned} \text{scost}(\mathcal{B}_n) &\leq b_n |P| + n_0 a_n |P| + a_n \sum_{i=n_0}^n \sum_{j=1}^d \tau_{i,j} c_j \\ &\leq b_n |P| + n_0 a_n |P| + a_n \sum_{i=n_0}^n \sum_{j=1}^d (\theta_j + \epsilon) c_j. \end{aligned}$$

Therefore, when $n \rightarrow \infty$, as $a_n \rightarrow 0$ and $b_n \rightarrow 0$, we get $\text{scost}(\mathcal{B}_n) \leq (n - n_0)a_n \sum_{j=1}^d \theta_j c_j + O(\epsilon) + o(1)$. But we know $na_n + b_n = 1$, and $b_n \rightarrow 0$, so $na_n \rightarrow 1$, and therefore $(n - n_0)a_n \rightarrow 1$. We get $\text{scost}(\mathcal{B}_n) \leq \text{scost}(\mathcal{R}_L) + O(\epsilon) + o(1)$. Furthermore, by Lemmas 16 and 17, for all n we have $L(\mathcal{B}_n) = L(\mathcal{A})$, thus $\text{scost}(\mathcal{R}_L) \leq \text{scost}(\mathcal{B}_n)$.

Since the above holds for all $\epsilon > 0$, we conclude that $\lim_{n \rightarrow \infty} \text{scost}(\mathcal{B}_n) = \text{scost}(\mathcal{R}_L)$.

A.12 Proof of the non-SCC case of Theorem 12

Assume then that \mathcal{A} is not a strongly connected DPA, and let C_1, \dots, C_l be its ergodic SCCs. For each $1 \leq i \leq l$ and $q \in C_i$, let L_i^q the language recognizing by C_i , with q as initial states. Remark that the residual automata R_i^q of languages L_i^q only differ in their initial states. We call R_i the common automaton where no initial state is defined. For each $i \in [1, l]$ and $q \in C_i$, we have $\text{scost}(L_i^q) = \text{scost}(R_i)$.

We can now perform the above construction on R_i , which will work simultaneously for all initial states. This yields automata $(\mathcal{B}_{1,n}, \dots, \mathcal{B}_{l,n})_{n \geq 1}$ with no initial state specified, such that for each $i \in [1, l]$:

1. $\lim_{n \rightarrow \infty} \text{scost}(\mathcal{B}_{i,n}) = \text{scost}(R_i)$
2. For all $q \in C_i$ and $n \geq 1$, there is a state q_n in $\mathcal{B}_{i,n}$ such that $\mathcal{B}_{i,n}$ with q_n as initial state recognizes exactly L_i^q .

Let \mathcal{A}_n be the DPA obtained from \mathcal{A} by replacing each SCC C_i by $\mathcal{B}_{i,n}$, with the entry points to $\mathcal{B}_{i,n}$ being chosen to preserve the correct residual language. More formally, if a transition (p, a, q) of \mathcal{A} will be replaced by (p, a, q_n) in \mathcal{A}_n , where q_n is as defined in the second item above.

This construction ensures that for all $n \geq 1$, we have $L(\mathcal{A}_n) = L(\mathcal{A})$. Indeed, if a word entered a component C_i in \mathcal{A} , it will now enter a component $\mathcal{B}_{i,n}$ in \mathcal{A}_n , in a state q_n that matches the correct residual language. Then, the correctness of the construction in the SCC case guarantees that the word is accepted if and only if it is in L .

It remains to show that $\lim_{n \rightarrow \infty} \text{scost}(\mathcal{A}_n) \rightarrow \text{scost}(\mathcal{R}_L)$, therefore witnessing the wanted result: $\text{scost}(L) = \text{scost}(\mathcal{R}_L)$.

Let ρ (resp. ρ_n) be the SCC-reachability distribution of \mathcal{A} (resp. \mathcal{A}_n). Recall that the ergodic components $(C_i)_{1 \leq i \leq l}$ in \mathcal{A} have been replaced by $(\mathcal{B}_{i,n})_{1 \leq i \leq l}$ in \mathcal{A}_n , and the transient component have been left unchanged. Therefore, for every $1 \leq i \leq l$ and $n \geq 1$, we have that $\rho(C_i) = \rho_n(\mathcal{B}_{i,n})$. By Theorem 4, we obtain $\text{scost}(\mathcal{A}_n) = \sum_{i=1}^l \rho(C_i) \text{scost}(\mathcal{B}_{i,n})$. When n tends to ∞ , we get $\sum_{i=1}^l \rho(C_i) \text{scost}(R_i)$ (by item 1 above).

Finally, let \mathcal{A}_R be the DPA obtained from \mathcal{A} by replacing each SCC C_i by its residual automaton R_i , again keeping the entry points to R_i consistent with residuals (here there is no choice: the states of R_i are exactly the possible residuals).

Since the SCC-reachability distribution in \mathcal{A} and \mathcal{A}_R coincide, it follows that $\text{scost}(\mathcal{A}_R) = \sum_{i=1}^l \rho(C_i) \text{scost}(R_i) = \lim_{n \rightarrow \infty} \text{scost}(\mathcal{A}_n)$. It remains to show that \mathcal{A}_R has same cost as the residual automaton \mathcal{R}_L of L , and we can conclude $\lim_{n \rightarrow \infty} \text{scost}(\mathcal{A}_n) = \text{scost}(\mathcal{R}_L)$, and finally $\text{scost}(L) \leq \text{scost}(\mathcal{R}_L)$. Since the opposite inequality is always true by Appendix A.5, we get $\text{scost}(L) = \text{scost}(\mathcal{R}_L)$.

► **Lemma 24.** $\text{scost}(\mathcal{A}_R) = \text{scost}(\mathcal{R}_L)$.

Proof. Let D_1, \dots, D_k be the ergodic SCCs of \mathcal{R}_L . For each $i \in [1, l]$, and $q \in C_i$, there must be j_i^q such that L_i^q is a state of $D_{j_i^q}$. Moreover, j_i^q does not depend on q , since both the C_i and the D_j are strongly connected. Therefore, each C_i can be mapped to some D_{j_i} such the states of D_{j_i} are exactly the L_i^q for $q \in C_i$. Actually for each i , the automata R_i and D_{j_i} are exactly the same, if initial states are omitted.

Let ρ be the SCC-reachability distribution of \mathcal{A} (or equivalently \mathcal{A}_R) and σ the one of \mathcal{R}_L . Because the residual languages have to match in \mathcal{A} and \mathcal{R}_L , for each $j \in [1, k]$, we have $\sigma(D_j) = \sum_{j_i=j} \rho(C_i)$. Therefore, $scost(\mathcal{R}_L) = \sum_{j=1}^k \sigma(D_j)scost(D_j) = \sum_{j=1}^k \sum_{j_i=j} \rho(C_i)scost(D_j) = \sum_{i=1}^l \rho(C_i)scost(R_i) = scost(\mathcal{A}_R)$. \blacktriangleleft \blacktriangleleft